


STANLEY
Security



STANLEY Security Video Cloud - Hybrid Bridge (powered by Eagle Eye Networks)

Cloud-Based Video Surveillance

PERFORMANCE IN ACTION™

STANLEY®

Security

WHAT IS STANLEY Security VIDEO CLOUD?

The STANLEY Security Video Cloud is a fully managed cloud video surveillance solution, delivering an end-to-end video management system that's simple to deploy and easy to use. It supports all modern browsers and works on Windows, Mac, even Linux with no plugins to install.

FULLY MOBILE

The fully functional iOS and Android applications provide complete access to live and recorded video and can also be used to install, configure and manage the system.

GOT CLOUD?

STANLEY Security Video Cloud provides a cloud based, video management system. The Eagle Eye Bridge is installed on-site, connects to your cameras, records video locally, and then securely synchronizes both video and meta data to the Eagle Eye Cloud Datacenter. It is a robust, secure appliance specifically designed to overcome the demands of transmitting high-resolution video through the Internet.

COMPREHENSIVE CAMERA SUPPORT

STANLEY Security Video Cloud offers a flexible approach to design by offering support for Onvif profile S network cameras including STANLEY, Axis and Bosch.

The Onvif profile also enables a dynamic approach for the takeover and upgrade of existing sites. Hybrid bridges will support IP as well as NTSC and PAL analogue cameras.

For an up to date list of all compatible devices visit www.eagleeyenetworks.com/cameras

WORRY FREE MANAGEMENT

All of the software in the Eagle Eye Cloud and firmware on the Eagle Eye Bridge is managed and updated by Eagle Eye Networks. The hardware is fully backed by Eagle Eye with full replacement if anything ever goes wrong.

SECURITY SIMPLIFIED

With Eagle Eye Complete Privacy Encryption™, video is fully encrypted during transmission and at rest. The Eagle Eye Bridge also has no open ports to the Internet, eliminating security vulnerabilities commonly found in other systems and requiring no router or firewall adjustments.

The Eagle Eye Combo Bridges support both analog and IP digital cameras with either 8 or 16 BNC connectors. The Eagle Eye Combo Bridges include a digital encoder which is a cost savings.

RECORDING FEATURES

- Video encrypted in transit & at rest
- Fully cloud managed
- Intelligent Bandwidth Management with local buffering
- Full frame rate on 720p & 1080p cameras
- Optional audio recording


WEB INTERFACE & MOBILE FEATURE

- Native iOS & Android apps
- View live & recorded video
- Compatible with all modern browsers
- Motion detection with alerts
- Map & floorplan display

SYSTEM ADMINISTRATION

- 100% browser-based - no software
- Centralized management
- Granular user permissions
- Multi site support
- Point and click video sharing

COMBO BRIDGE FEATURES



NETWORK FEATURES

- Automatic network configuration
- Secure camera network (dual network ports)
- No inbound connections needed
- Packet loss detection/reporting
- Network disconnected alerts

MANAGEMENT FEATURES

- Remote management
- Automatic camera discovery
- Automatic camera configuration
- Advanced motion detection
- Local video buffering
- Configuration synced to Cloud
- Camera trouble alerts
- Internet outage alerts
- Fully cloud managed

STANLEY Security Video Cloud support



STANLEY Security believes support is paramount to our customers' and partners' success. Standard support is free of charge with an active subscription.

Standard Support

- Replacement of Bridge at no cost
- 24/7 email and web support
- 8am to 8pm ET phone support

Concierge Support

- Next business day cross-shipment for Bridge replacement
- Replacement of Bridges even when damage is caused by customer
- 24/7 phone, email, and web support

MODEL	Bridge 310	Bridge 410
		
Number of Cameras	8 Analog Cameras or 16 HD IP Cameras	16 Analog Cameras or 32 HD IP Cameras
Size	16.8" x 12" x 1.7"	16.8" x 12" x 1.7"
Power Supply	Single Power Supply	Single Power Supply
Power	100-240 AC 145 Watts	100-240 AC 165 Watts
Cooling Fans	3 Cooling Fans	3 Cooling Fans
Network Ports	Dual Gigabit	Dual Gigabit
Local Video Connectors	HDMI/DVI	HDMI/DVI
BNC Connectors	8 BNC Connectors	8 BNC Connectors
Temperature Range	0 - 35° C 32 - 35° F	0 - 35° C 32 - 35° F
Humidity Range	0 - 70%	0 - 70%
Safety Certifications	FCC, UL, PSE, CE, CCC (S&E)	FCC, UL, PSE, CE, CCC (S&E)

STANLEY Security Video Cloud delivers the first on-demand cloud based security and business intelligence video management system (VMS) providing both cloud and on-premise recording. STANLEY Security also provides a cloud video API for integrations and application development. The Platform offers secure, encrypted recording, camera management, mobile viewing and alerts – all 100% cloud managed.

STANLEY Security



Stanley House
Bramble Road
Swindon
Wiltshire
SN2 8ER

Tel: 0844 254 0032
Fax: 01793 615848
Email: info@stanleysecurity.co.uk
Website: www.stanleysecurity.co.uk



[LinkedIn.com/company/StanleySecurity](https://www.linkedin.com/company/StanleySecurity)



twitter.com/STANLEYSec_GB

STANLEY Security Solutions Ltd.

Registered in England and Wales No. 181585. Registered Office: Stanley House, Bramble Road, Swindon, Wiltshire SN2 8ER VAT No. 232 2446 95.

All reasonable care has been taken to ensure that the information contained in this publication is accurate as at the date of printing. Such information is nevertheless liable to variation in the event of changes occurring subsequent to the date of printing in the products, services or statements referred to in this publication. All images contained are illustrative of the product supplied and actual products supplied may differ in detail from that illustrated.

V1/EEBC2017